DOCUMENT 2071: TYPE 32 ETHERIC RESONANCE UNIT OPERATIONS MANUAL

CODEWORD: MOONGLOW ABLE / QUARTZ / 2-67

PUBLICATION DATE: 16 November 2015

OFFICE OF ORIGIN: (U) Geomancy Research Unit (QUARTZ 1066)

The following document is classified MOONGLOW ABLE and QUARTZ 1066. If you are not cleared for information classified MOONGLOW ABLE and QUARTZ 1066, discontinue reading this document immediately and report to your section head or operational security liaison. Failure to comply is punishable as treason under 18 U.S.C. § 792.

- (TS//SI) The Type 32 Etheric Resonance Unit (MOONGLOW ABLE) employs geomantic techniques
 to enhance and magnify etheric resonance psychotronic activity. Refer to the files MOONGLOW
 FOXTROT and GLOWWORM for additional information on MOONGLOW ABLE operating
 principles.
- 2. (TS//SI//REL) MOONGLOW ABLE is intended only for use by personnel who are certified in psychotronic systems operation. This document is not a substitute for psychotronic systems training.
- 3. (TS//OCC//SI//REL) The following diagrams depicting MOONGLOW operational principles are reproduced from the original GLOWWORM document for illustrative purposes only.



THREE AXES ALIGNED AT RIGHT-ANGLES TO EACH OTHER ESTABLISH THE SIMPLEST STRUCTURE POSSIBLE IN 3-D SPACE, THE NEGATIVE (HYPERSPACIAL) AXES GENERATING THE OCTAHEDRON CONFORM TO THIS LIMITING CASE OF SIMPLICITY. THIS IS WAY RIGHT-ANGLE COORDINATES ARE FUNDAMENTAL TO GEOMETRY INSTEAD OF THE TRIANGULATION FAVOURED BY BUCKMINSTER FULLER.
THE OCTAHEDRON IS THE SIMPLEST STABLE ELEMENT OF GEOMETRY, THE TETRAHEDRON IS THE THIRD MARKONIC OF THE BASIC OCTAHEDRON



FOUR AXES ALIGNED AT 127° INTERVALS ARE NEEDED TO GENERATE THE TETRAHEDRON. THE PRINCIPLE OF PARITY GIVES LOW PROBABILITY TO TETRAHEDRONS EXISTING BY THEMSELVES; LIKE HYDROGEN ATOMS, THE PREFERRED STATE OF THE TETRAHEDRON IS IN PARS. THE SAME AXES WHICH GENERATE THE ELEMENTAL TETRAHEDRON ALSO GENERATE A PROPERLY OPPOSED PAIR WHEN EXTENDED TO DEFINE THE DIAGONALS OF A CUBE.




NOTE THAT THE AXES GENERATING THE OCTAHEDRON FORM THE CORE OF THE TETRAHEDRON PAIR.


THIS MODEL REVEALS THAT THE INTERSECTION OF HYPERSPACIAL FIELDS AT RIGHT ANGLES ON ALL AXES GENERATES OCTAHEDRONAL STRUCTURES IN REAL SPACE. WHEN FIELDS IN HYPERSPACE INTERSECT WITH AXES ALIGNED ALONG THE TERTIARY HARMONIC, CUBIC/TETRAHEDRONAL STRUCTURES ARE CREATED. BY ROTATING HYPERSPACIAL AXES, ALL CONCEIVABLE STRUCTURES CAN BE CREATED IN REAL SPACE. THIS IS THE BASIS OF ALCHEMY, MAGIC AND WITCHCRAFT. THE MIND IS A HYPERSPACIAL ENTITY CAPABLE OF AUTONOMOUS ROTATION OF FIELD AXES. THE TRANSLATION OF BRAIN MECHANICS INTO TECHNOLOGY IS WHAT PSYCHOTRONIC ENGINEERING IS ALL ABOUT.

- 4. (TS//SI) The core of each MOONGLOW ABLE unit is a specially-prepared crystalline resonator which vibrates in the 220 280 μ G band. This crystal is prepared in accordance with the QUARTZ 1066 Standard 1357. Before operation, inspect the resonator and ensure that it has not been damaged structurally and that the psychotronic resonance remains in phase with primary telluric currents.
- 5. (TS//SI//REL) Prior to operation, ensure that the MOONGLOW ABLE operation area has been cleared of all psychotronically active materials (e.g. BLACK HORIZON, MERCURY BLUE, FOXTROT/A). Ensure that
- 6. (TS//SI//REL) Prior to operation, ensure that the resonator crystal is tuned to the desired telluric ley-line harmonic frequency. Refer to GLOWWORM/GABLE WINDOW.
- 8. (TS//SI//REL) Once the operation area has been cleared, open the unit's casing and activate the etheric transducer by switching the toggle switch located on the top of the device casing. If the resonator was activated successfully, the toggle switch indicator light will turn red. This indicates that the unit is now psychotronically active.

- 9. (TS//SI//REL) When the indicator light is on, the device is to be considered a Level 1 psychotronic hazard (TC181 Epsilon / ISO blue-level). Personnel not certified in etheric resonance systems must remain behind the 16-yard line.
- 10. (TS//SI//REL) Ensure that
- 11. (TS//SI) Once the unit has been activated, place one hand on the resonator. A tingling or burning sensation indicates that sensor that the sensor of the
- 12. (TS//SI//REL) Remove resonance crystal from housing and hold it with one or both hands.
- 13. (TS//SI//REL) While holding resonance crystal, begin visualising ley-line harmonic current at the desired frequency. Visualisation may be auditory or visual in nature. Do not
- 14. (TS//OCC//SI//REL) The following diagrams are reproduced from GLOWWORM under reclassification for illustrative purposes only. Refer as necessary.



THE FUNDAMENTAL ELECTROMAGNETIC RESONANCE BETWEEN THE EARTH AND ITS SURROUNDING IONOSPHERE CREATES A VOLTAGE LOOP OSCILLATING FROM ONE SIDE OF THE WORLD TO THE OTHER, AS SHOWN IN THIS DIAGRAM. THE GREAT PYRAMID AT GIZA AND THE GREAT PYRAMIDS OF THE SOUTH PACIFIC ARE LOCATED WHERE THE NATURAL GLOBAL VOLTAGE ESTABLISHES THE HIGHEST ELECTRICAL POTENTIAL.



AS THE VOLTAGE LOOP OSCILLATES BETWEEN THE NILE DELTA AND THE SOUTH PACIFIC ISLAND AT THE ANTIPODES, AN EQUATORIAL LOOP IS ESTABLISHED BETWEEN THE TWO POLES.

THE CHINESE PYRAMIDS ARE FOUND WHERE THE EQUATORIAL LOOP

THE CHINESE PYRAMIDS ARE FOUND WHERE THE EQUATORIAL LOOP ESTABLISHES THE HIGHEST ELECTRICAL POTENTIAL.

THE AMERICAN PYRAMID CIVILIZATION IS FOUND WHERE THE LOOP OF THE THIRD HARMONIC ESTABLISHES THE HIGHEST ELECTRICAL POTENTIAL.


- 15. (TS//SI//REL) Wait for remote end to connect. The remote contact may be another human operator or an other-than-human entity as specified by operational parameters. Depending on the particular nature of the remote contact, its presence may be perceived as the sensation of being no longer alone, a sense of intimacy, or the feeling of being watched.
- 16. (TS//SI//OCC) If the remote contact is an other-than-human entity,

 Under no circumstances

 I Ensure that

 is strictly forbidden.
- 17. (TS//SI//REL) Concentrate on desired trans-mental harmonic resonance frequency to initiate connection as described in MOONDUST/BLACK HORIZON until connection is established.
- 18. (TS//OCC//NO-REL)

 19. (TS//SL//NO-REL) After shutting down the unit, ensure that any unscheduled reality deviants are
- 19. (TS//SI//NO-REL) After shutting down the unit, ensure that any unscheduled reality deviants are terminated in accordance with BISHOP MERCY and ASHDOWN WALTZ guidelines. MERCURY BLUE is available to be dispensed as necessary.
- 20. (TS//SI//REL) Post-operation checks should be conducted as described in BLACK HORIZON. The unit must pass QUARTZ HADES inspection with SIGMA or higher (TC150 level 3) before being returned to service.
- 21. (TS//OCC//SI//REL) The following diagrams are reproduced from GLOWWORM under reclassification for reference purposes only. Refer as necessary.




A RANDOM DISTRIBUTION OF PARTICLES IN UNIVERSAL SPACE CREATES VORTECES IN PAIRS TURNING IN OPPOSITE DIRECTIONS.
AT THE INTERFACE BETWEEN CONTRAROTATING VORTECES, THE FLOW IS IN THE SAME DIRECTION, SO OPPOSITELY TURNING VORTECES TEND TO MERGE.



AT THE INTERFACE BETWEEN VORTECES TURNING IN THE SAME DIRECTION, THE FLOW IS IN OPPOSITE DIRECTIONS, SO YORTECES TURNING IN THE SAME DIRECTION TEND TO PUSH AWAY FROM EACH OTHER.

THE BLACK HOLES THROUGH WHICH THE VORTEX FLOWS INTO HYPERSPACE IS THE OPPOSITE BOLE OF THE CIRCLE FROM WHICH THE VORTEX FLOWS INTO THIS SPACE. THE BLACK HOLE AND THE WHITE CIRCLE ARE OPPOSITE SIDES OF THE SAME GATE TO AND FROM HYPERSPACE. THE EXPANSION OF THE POINT TO THE CIRCLE WITH SPACE SEPARATING THEM IS THE EFFECT OF PROJECTION BETWEEN HYPERSPACE AND REAL SPACE.



WHEN THE FUNDAMENTAL RESONANCE IS SUPERIMPOSED WITH THE SECONDARY, TERTIARY AND QUATERNARY HARMONIC, A STANDING-WAVE VOLTAGE STRUCTURE IS ESTABLISHED, SURROUNDING THE EARTH WITH THE ELECTRICAL VOLTAGE PATTERN SHOWN IN THIS DIAGRAM. ALTHOUGH THE ELECTROMAGNETIC WAVES FLOW AROUND THE WORLD, THE STANDING-WAVE PATTERN REMAINS STATIC.